

Amendments to the Claims

Please amend the claims without prejudice as follows and consider the subsequent remarks. This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims

Claims 1-17 (Canceled)

18. (Previously presented) A method as recited in claim 38 further comprising the e-commerce supply chain environment manager performing load balancing services that initiate and stop processes as utilization levels vary in the e-commerce supply chain.

19. (Canceled)

20. (Canceled)

21. (Canceled)

22. (Previously presented) A computer program as recited in claim 44 further comprising logic executable on a computer system for performing load balancing services that initiate and stop processes as utilization levels vary in the e-commerce supply chain.

23. (Canceled)

24. (Canceled)

25. (Canceled)

26. (Canceled)

27. (Canceled)

28. (Previously presented) A computer program embodied on a computer readable medium as recited in claim 50 further comprising a code segment for performing load balancing services that initiate and stop processes as utilization levels vary in the e-commerce supply chain.

29. (Canceled)

30. (Canceled)

31. (Canceled)

32. (Previously presented) A method as recited in claim 38 wherein the step of performing maintenance and service includes indexing received feedback from environment users.

33. (Previously presented) A method as recited in claim 40 wherein the data stored in the e-commerce supply-chain environment is indexed according to a profile for each framework user's.

34. (Previously presented) A computer program as recited in claim 44 wherein the maintenance and service module further indexes received feedback from environment users.

35. (Previously presented) A computer program as recited in claim 46 further comprising an index module for indexing data stored in the e-commerce supply-chain environment according to each environment user's profile.

36. (Previously presented) A computer program embodied on a computer readable medium as recited in claim 50 wherein the code segment facilitating performance of maintenance and service further comprises a code segment for indexing received feedback from environment users.

37. (Previously presented) A computer program embodied on a computer readable medium as recited in claim 52 further comprising a code segment for indexing data stored in the e-commerce supply-chain environment according to each environment user's profile.

38. (Currently amended) A method for providing maintenance and service between manufacturers and service providers in maintaining and servicing a network-based e-commerce supply chain environment, comprising:

(a) receiving at an e-commerce supply chain manager ~~from a plurality of provider environment users~~ a plurality of notices for recommended maintenance and service from a

plurality of manufacturers, wherein the e-commerce supply chain manager exists within the e-commerce supply chain environment and manages demand and supply planning, order management and fulfillment, asset management, maintenance and service scheduling, inventory management, and distribution logistics for entities within the e-commerce supply chain environment;

(b) receiving at the e-commerce supply chain manager ~~from a plurality of consumer environment-users~~ a plurality of requests for maintenance and service from a plurality of service providers;

(c) planning demand and supply of ~~manufacturer and service provider~~ offerings from the plurality of manufacturers based upon offering availability of the offerings within the e-commerce supply chain environment;

(d) monitoring the availability of the plurality of manufacturers to perform maintenance and service within the e-commerce supply chain environment;

(~~e~~ d) managing the plurality of notices and requests for recommended maintenance and service and the plurality of requests for maintenance and service within the e-commerce supply chain environment by matching ~~provider environment-users~~ service providers with ~~consumer environment-users~~ manufacturers according to planned demand and supply of manufacturer offerings and manufacturer availability and service provider offerings;

(~~f~~ e) scheduling maintenance and service at the e-commerce supply chain manager in a managed schedule based on the plurality of notices from the plurality of ~~provider environment users~~ manufacturers matched to the plurality of requests from the plurality of service providers ~~consumer environment-users;~~

(~~g~~ f) transmitting the managed schedule for maintenance and service to the plurality of users who requested or recommended maintenance and service from the e-commerce supply chain manager; and

(h) tracking the plurality of notices, the plurality of requests, the managed schedule, and the

progress of completing scheduled maintenance and service through a network tracking interface accessible within the e-commerce supply chain environment; and

(i.e.) performing maintenance and service [[of]] through the e-commerce supply chain environment based on the managed schedule.

39. (Previously presented) A method as recited in claim 38 wherein the step of performing maintenance and service of the e-commerce supply chain environment comprises updating data items stored in the e-commerce supply chain environment selected from the group consisting of merchandising content, currency exchange rates, tax rates, and pricing information.

40. (Previously presented) A method as recited in claim 38 wherein the step of performing maintenance and service of the e-commerce supply chain environment comprises synchronizing data stored separately from the e-commerce supply chain environment with data stored in the e-commerce supply chain environment.

41. (Previously presented) A method as recited in claim 38 wherein the step of performing maintenance and service of the e-commerce supply chain environment comprises optimizing at least one operation of the e-commerce supply chain environment selected from the group consisting of server processes, disk space, memory availability, CPU utilization, access time to a server, and connection load.

42. (Previously presented) A method as recited in claim 38 wherein the step of performing maintenance and service of the e-commerce supply chain environment comprises sending feedback response requests to the plurality of environment users of the e-commerce supply chain environment.

43. (Previously presented) A method as recited in claim 40 further comprising the e-commerce supply chain environment manager searching the data stored in the e-commerce supply chain environment prior to synchronization.

44. (Currently amended) A computer program having a plurality of modules embodied on a computer readable medium and executable on a computer for providing maintenance and service

between manufacturers and service providers in maintaining and servicing a network-based e-commerce supply chain environment, comprising:

(a) ~~a receiving module for coordinating receipt at an e-commerce supply chain manager from a plurality of provider environment users~~ a plurality of notices for recommended maintenance and service ~~from a plurality of manufacturers, wherein the e-commerce supply chain manager exists within the e-commerce supply chain environment and manages demand and supply planning, order management and fulfillment, asset management, maintenance and service scheduling, inventory management, and distribution logistics for entities within the e-commerce supply chain environment;~~

(b) ~~a receiving module for coordinating receipt at the e-commerce supply chain manager from a plurality of consumer environment users~~ a plurality of requests for maintenance and service ~~from a plurality of service providers;~~

(c) ~~a planning module for planning demand and supply of manufacturer and service provider offerings from the plurality of manufacturers based upon offering availability of the offerings within the e-commerce supply chain environment;~~

(d) a monitoring module for monitoring the availability of the plurality of manufacturers to perform maintenance and service within the e-commerce supply chain environment;

(e) a management module for managing the plurality of notices and requests for recommended maintenance and service and the plurality of requests for maintenance and service within the e-commerce supply chain environment by matching provider environment users service providers with consumer environment users manufacturers according to planned demand and supply of manufacturer offerings and manufacturer availability and service provider offerings;

(f) a scheduling module for scheduling maintenance and service at the e-commerce supply chain manager based on the plurality of notices from the plurality of provider environment users manufacturers matched to the plurality of requests from the plurality of service providers consumer environment users;

(g) a transmitting module for transmitting the managed schedule for maintenance and service to the plurality of users who requested or recommended maintenance and service from the e-commerce supply chain manager; and

(h) a tracking module for tracking the plurality of notices, the plurality of requests, the managed schedule, and the progress of completing scheduled maintenance and service through a network tracking interface accessible within the e-commerce supply chain environment; and

(i) a maintenance and service module for performing maintenance and service ~~[[of]]~~ through the e-commerce supply chain environment based on the managed schedule.

45. (Previously presented) A computer program as recited in claim 44 wherein the maintenance and service module updates data items stored in the e-commerce supply chain environment selected from the group consisting of merchandising content, currency exchange rates, tax rates, and pricing information.

46. (Previously presented) A computer program as recited in claim 44 wherein the maintenance and service module synchronizes data stored separately from the e-commerce supply chain environment with data stored in the e-commerce supply chain environment.

47. (Previously presented) A computer program as recited in claim 44 wherein the maintenance and service module optimizes at least one operation of the e-commerce supply chain environment selected from the group consisting of server processes, disk space, memory availability, CPU utilization, access time to a server, and connection load.

48. (Previously presented) A computer program as recited in claim 44 wherein the maintenance and service module sends feedback response requests to the plurality of environment users of the e-commerce supply chain environment.

49. (Previously presented) A computer program as recited in claim 46 further comprising the maintenance and service module searching the data stored in the e-commerce supply chain environment prior to synchronization.

50. (Currently amended) A computer program having a set of code segments embodied on a

computer readable medium and executable on a computer for providing maintenance and service between manufacturers and service providers in maintaining and servicing a network-based e-commerce supply chain environment, comprising:

(a) a code segment for providing coordination of receipt at an e-commerce supply chain manager ~~from a plurality of provider environment users~~ a plurality of notices for recommended maintenance and service from a plurality of manufacturers, wherein the e-commerce supply chain manager exists within the e-commerce supply chain environment and manages demand and supply planning, order management and fulfillment, asset management, maintenance and service scheduling, inventory management, and distribution logistics for entities within the e-commerce supply chain environment;

(b) a code segment for providing coordination of receipt at the e-commerce supply chain manager ~~from a plurality of consumer environment users~~ a plurality of requests for maintenance and service from a plurality of service providers;

(c) a code segment for planning demand and supply of ~~manufacturer and service provider offerings~~ from the plurality of manufacturers based upon ~~offering~~ availability of the offerings within the e-commerce supply chain environment;

(d) a code segment for monitoring the availability of the plurality of manufacturers to perform maintenance and service within the e-commerce supply chain environment;

~~(c d)~~ a code segment for managing the plurality of notices and requests for recommended maintenance and service and the plurality of requests for maintenance and service within the e-commerce supply chain environment by matching ~~provider environment users~~ service providers with ~~consumer environment users~~ manufacturers according to planned demand and supply of manufacturer offerings and manufacturer availability and service provider offerings;

(f e) a code segment for providing scheduling of maintenance and service at the e-commerce supply chain manager using the plurality of notices from the plurality of ~~provider environment users~~ manufacturers matched to the plurality of requests from the plurality of service providers ~~consumer environment users;~~

(g.f) a code segment for providing transmittal of the managed schedule for maintenance and service to the plurality of users who requested or recommended maintenance and service from the e-commerce supply chain manager; and

(h) a code segment for tracking the plurality of notices, the plurality of requests, the managed schedule, and the progress of completing scheduled maintenance and service through a network tracking interface accessible within the e-commerce supply chain environment; and

(i.g) a code segment for providing performance of maintenance and service ~~[[of]]~~ through the e-commerce supply chain environment based on the managed schedule.

51. (Previously presented) A computer program embodied on a computer readable medium as recited in claim 50 wherein the code segment for performing maintenance and service of the e-commerce supply chain environment further comprises a code segment for updating data items stored in the e-commerce supply chain environment selected from the group consisting of merchandising content, currency exchange rates, tax rates, and pricing information.

52. (Previously presented) A computer program embodied on a computer readable medium as recited in claim 50 wherein the code segment for performing maintenance and service of the e-commerce supply chain environment further comprises a code segment for synchronizing data stored separately from the e-commerce supply chain environment with data stored in the e-commerce supply chain environment.

53. (Previously presented) A computer program embodied on a computer readable medium as recited in claim 50 wherein the code segment for performing maintenance and service of the e-commerce supply chain environment further comprises a code segment for optimizing at least on operation of the e-commerce supply chain environment selected from the group consisting of server processes, disk space, memory availability, CPU utilization, access time to a server, and connection load.

54. (Previously presented) A computer program embodied on a computer readable medium as recited in claim 50 wherein the code segment for performing maintenance and service of the e-commerce supply chain environment further comprises a code segment for sending feedback

response requests to the plurality of environment users of the e-commerce supply chain environment.

55. (Previously presented) A computer program embodied on a computer readable medium as recited in claim 52 further comprising a code segment to facilitate the e-commerce supply chain environment manager search of the data stored in the e-commerce supply chain environment prior to synchronization.

56. (New) A method as recited in claim 38 wherein the manufacturer is a network bandwidth provider and the service provider is a network bandwidth distributor.

57. (New) A computer program as recited in claim 44 wherein the manufacturer is a network bandwidth provider and the service provider is a network bandwidth distributor.

58. (New) A computer program embodied on a computer readable medium as recited in claim 52 wherein the manufacturer is a network bandwidth provider and the service provider is a network bandwidth distributor.

59. (New) A method as recited in claim 38 further comprising the steps of: monitoring the progress of the plurality of manufacturers in completing scheduled maintenance and service utilizing the network, adjusting the schedule according to the progress of the plurality of manufacturers, and transmitting the adjustments to the schedule to the plurality of manufacturers and the plurality of service providers of the utilizing the network.

60. (New) A computer program as recited in claim 44 further comprising the steps of: monitoring the progress of the plurality of manufacturers in completing scheduled maintenance and service utilizing the network, adjusting the schedule according to the progress of the plurality of manufacturers, and transmitting the adjustments to the schedule to the plurality of manufacturers and the plurality of service providers of the utilizing the network.

61. (New) A computer program embodied on a computer readable medium as recited in claim 52 further comprising the steps of: monitoring the progress of the plurality of manufacturers in completing scheduled maintenance and service utilizing the network, adjusting the schedule

Serial #: 09/444,889

In reply to Final Office Action mailed February 14, 2008

Page 11 of 15

according to the progress of the plurality of manufacturers, and transmitting the adjustments to the schedule to the plurality of manufacturers and the plurality of service providers of the utilizing the network.